/* Pride-in-Parenting */

/* Codebook for the NCAST Feeding Scale */

DOC_ID   N0   subject ID no.

INF_NO   N0   Infant Number
                                Range = 1 - 2

TODAY_MM   N0   Today"s Date: Month
                                Range = 01 - 12

TODAY_DD   N0   Today"s Date: Day
                                Range = 01 - 31

TODAY_YR   N0   Today"s Date: Year
                                Range = 96 - 98

INIT1   A   Initials of Person
/* EB, JA, KK */

VIDQ1   N0   Mother major caregiver?
                                1 = yes
                                2 = no

VIDQ2   N0   Child"s birth order
                                1 = 1
                                2 = 2
                                3 = 3
                                4 = 4
                                5 = 5 or more

VIDQ3   N0   Usual Feeding Time?
                                1 = yes
                                2 = no

VIDQ4   N0   Mother bring food?
                                1 = yes
                                2 = no

VIDQ4S   A   What kind of food?

VIDQ51   N0   Type of Feeding: Breast
                                1 = yes

VIDQ52	N0	Type of Feeding: Bottle
		2 = yes

VIDQ53	N0	Type of Feeding: Cup
		3 = yes

VIDQ54	N0	Type of Feeding: Puree Jars
		4 = yes

VIDQ55	N0	Type of Feeding: Table Food
		5 = yes

VIDQ6	N0	Others present?
		1 = yes
		2 = no

VIDQ6S   A   Specify others present

VIDQ7   N0   Child"s state

        1 = quiet sleep
        2 = quiet alert
        3 = active sleep
        4 = active alert
        5 = drowsy
        6 = crying

VIDQ81   N0   Potent disengagement cue: Back arching
    1 = yes

VIDQ82   N0   Potent disengagement cue: Choking
    2 = yes

VIDQ83   N0   Potent disengagement cue: Coughing
    3 = yes

VIDQ84   N0   Potent disengagement cue: Crawling away
    4 = yes

VIDQ85   N0   Potent disengagement cue: Cry face
    5 = yes

VIDQ86   N0   Potent disengagement cue: Crying
    6 = yes

VIDQ87   N0   Potent disengagement cue: Fussing
    7 = yes

VIDQ88   N0   Potent disengagement cue: Halt Hand
                    8 = yes

VIDQ89   N0   Potent disengagement cue: Lateral head shake
                    9 = yes

VIDQ810   N0   Potent disengagement cue: Maximal lateral gaze aversion
                    10 = yes

VIDQ811   N0   Potent disengagement cue: Overhand beating movements
                    11 = yes

VIDQ812   N0   Potent disengagement cue: Pale/red skin
                    12 = yes

VIDQ813   N0   Potent disengagement cue: Pulling away
                    13 = yes

VIDQ814   N0   Potent disengagement cue: Pushing away
                    14 = yes

VIDQ815   N0   Potent disengagement cue: Saying No
                    15 = yes

VIDQ816   N0   Potent disengagement cue: Spitting
                    16 = yes

VIDQ817   N0   Potent disengagement cue: Spitting Up
                    17 = yes

VIDQ818   N0   Potent disengagement cue: Tray pound
                    18 = yes

VIDQ819   N0   Potent disengagement cue: Vomiting
                    19 = yes

VIDQ820   N0   Potent disengagement cue: Walking away
                    20 = yes

VIDQ821   N0   Potent disengagement cue: Whining
                    21 = yes

VIDQ822   N0   Potent disengagement cue: Withdraw - alert to sleep
                    22 = yes

INIT2   A   Initials of Person Rating the Reaction
/* PS */

RDATE_MM   N0   Date Rating Completed: Month
                              Range = 01 - 12

RDATE_DD   N0   Date Rating Completed: Day
                              Range = 01 - 31

RDATE_YR   N0   Date Rating Completed: Year
                              Range = 97 - 98
/* NCAST Feeding Scale - Sensitivity to Cues Scale */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

NCAST1   N0   CG positions child - safe but can move
                              1 = yes
                              2 = no
                              8 = N/A

NCAST2   N0   CG positions child - head higher than hips
                              1 = yes
                              2 = no
                              8 = N/A

NCAST3   N0   CG positions child - trunk to trunk contact
                              1 = yes
                              2 = no
                              8 = N/A

NCAST4   N0   CG positions child - eye to eye contact
                              1 = yes
                              2 = no
                              8 = N/A

NCAST5   N0   CG"s face at least 7 - 8 inches
                              1 = yes
                              2 = no
                              8 = N/A

NCAST6   N0   CG smiles, verbalizes, makes eye contact
                              1 = yes
                              2 = no
                              8 = N/A

NCAST7   N0   CG comments verbally on child"s hunger cues
                        1 = yes
                        2 = no
                        8 = N/A

NCAST8   N0   CG comments verbally on child"s satiation cues
                        1 = yes
                        2 = no
                        8 = N/A

NCAST9   N0   CG varies intensity of verbal stimulation
                        1 = yes
                        2 = no
                        8 = N/A

NCAST10   N0   CG varies intensity of rocking or moving
                        1 = yes
                        2 = no
                        8 = N/A

NCAST11   N0   CG varies intensity/form of touch
                        1 = yes
                        2 = no
                        8 = N/A

NCAST12   N0   CG allows pauses
                        1 = yes
                        2 = no
                        8 = N/A

NCAST13   N0   CG slows the pace of feeding
                        1 = yes
                        2 = no
                        8 = N/A

NCAST14   N0   CG terminates the feeding
                        1 = yes
                        2 = no

                        8 = N/A
NCAST15   N0   CG allows child to suck and/or chew
                        1 = yes
                        2 = no
                        8 = N/A

NCAST16   N0   CG only offers food when child attending
                              1 = yes
                              2 = no
                              8 = N/A

/* NCAST Feeding Scale - Response to Child"s Distress Scale */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

DISCUES   N0   Potent Disengagement Cues Observed?
                              1 = yes
                              2 = no
                              8 = N/A

NCAST17   N0   CG stops or starts feeding
                              1 = yes
                              2 = no
                              8 = N/A

NCAST18   N0   CG changes child"s position
                              1 = yes
                              2 = no
                              8 = N/A

NCAST19   N0   CG makes positive/symp verbalization
                              1 = yes
                              2 = no
                              8 = N/A

NCAST20   N0   CG changes voice volume
                              1 = yes
                              2 = no
                              8 = N/A

NCAST21   N0   CG makes soothing non - verbal efforts
                              1 = yes
                              2 = no
                              8 = N/A

NCAST22   N0   CG diverts child"s attention
                              1 = yes
                              2 = no
                              8 = N/A

NCAST23   N0   CG avoids making negative verbal responses
                              1 = yes

2 = no
                                                    8 = N/A

NCAST24   N0   CG avoids making negative comments to HV
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST25   N0   CG avoids yelling at child
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST26   N0   CG avoids using abrupt movements
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST27   N0   CG avoids slapping, hitting, or spanking
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A
/* NCAST Feeding Scale - Social - Emotional Growth Fostering */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

NCAST28   N0   CG pays more attention to child
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST29   N0   CG is in "en face" position
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST30   N0   CG succeeds in making eye contact
                                                    1 = yes
                                                    2 = no
   8 = N/A

NCAST31   N0   CG"s facial expression changes
                                                    1 = yes
                                                    2 = no
                                                    8 = N/A

NCAST32	N0	CG engages in social forms of interaction
		1 = yes
		2 = no
		8 = N/A

NCAST33	N0	CG uses positive statements in talking
		1 = yes
		2 = no
		8 = N/A

NCAST34	N0	CG praises child
		1 = yes
		2 = no
		8 = N/A

NCAST35	N0	CG hums, croons, sings
		1 = yes
		2 = no
		8 = N/A

NCAST36	N0	CG laughs or smiles
		1 = yes
		2 = no
		8 = N/A

NCAST37	N0	CG uses gentle forms of touching
		1 = yes
		2 = no
		8 = N/A

NCAST38	N0	CG smiles, verbalizes, or touches child
		1 = yes
		2 = no
		8 = N/A

NCAST39	N0	CG avoids compressing lips, grimacing
		1 = yes
		2 = no
		8 = N/A

NCAST40	N0	CG avoids slapping, hitting, shaking
		1 = yes
		2 = no
		8 = N/A

NCAST41   N0   CG avoids making negatives comments to child or HV
                            1 = yes
                            2 = no
                            8 = N/A

/* NCAST Feeding Scale - Cognitive Growth Fostering */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

NCAST42   N0   CG provides child with objects
                            1 = yes
                            2 = no
                            8 = N/A

NCAST43   N0   CG encourages and/or allows child to explore
                            1 = yes
                            2 = no
                            8 = N/A

NCAST44   N0   CG talks to child using two words
                            1 = yes
                            2 = no
                            8 = N/A

NCAST45   N0   CG verbally describes food
                            1 = yes
                            2 = no
                            8 = N/A

NCAST46   N0   CG talks to child about other things
                            1 = yes
                            2 = no
                            8 = N/A

NCAST47   N0   CG uses statements that describe, ask questions
                            1 = yes
                            2 = no
                            8 = N/A

NCAST48   N0   CG verbally responds to child"s sound
                            1 = yes
                            2 = no
                            8 = N/A

NCAST49   N0   CG verbally responds to child"s movement
                            1 = yes

$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST50   N0   CG avoids using baby talk
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

/* NCAST Feeding Scale -Clarity of Cues */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

NCAST51   N0   Child signals readiness to eat
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST52   N0   Child displays build-up of tension
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST53   N0   Child demonstrates a decrease in tension
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST54   N0   Child has periods of alertness
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST55   N0   Child displays at least two diff emotions
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST56   N0   Child has periods of activity and inactivity
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST57   N0   Child's movements are smooth and coordinated
$$1 = \text{yes}$$
$$2 = \text{no}$$
$$8 = \text{N/A}$$

NCAST58   N0   Child's arm and leg movements directed towards CG
                        1 = yes
                        2 = no
                        8 = N/A

NCAST59   N0   Child initiates contact with CG face or eyes
                        1 = yes
                        2 = no
                        8 = N/A

NCAST60   N0   Child vocalizes during feeding
                        1 = yes
                        2 = no
                        8 = N/A

NCAST61   N0   Child smiles or laughs during feeding
                        1 = yes
                        2 = no
                        8 = N/A

NCAST62   N0   Child averts gaze, looks down or turns away
                        1 = yes
                        2 = no
                        8 = N/A

NCAST63   N0   Child actively resists food
                        1 = yes
                        2 = no
                        8 = N/A

NCAST64   N0   Child demonstrates satiation
                        1 = yes
                        2 = no
                        8 = N/A

NCAST65   N0   Child has less than three rapid state changes
                        1 = yes
                        2 = no
                        8 = N/A

/* NCAST Feeding Scale - Responsiveness to Caregiver */
/* 1 = yes; 2 = no; 8 = N/A or unable to evaluate */

NCAST66   N0   Child responds to feeding attempts

1 = yes
2 = no
8 = N/A

NCAST67   N0   Child responds to games, social play or cues
1 = yes
2 = no
8 = N/A

NCAST68   N0   Child looks in the direction of the CG's face
1 = yes
2 = no
8 = N/A

NCAST69   N0   Child vocalizes to CG during feeding
1 = yes
2 = no
8 = N/A

NCAST70   N0   Child vocalizes or smiles w/i five seconds of CG's vocal
1 = yes
2 = no
8 = N/A

NCAST71   N0   Child smiles at CG
1 = yes
2 = no
8 = N/A

NCAST72   N0   Child explores CG or reaches out to CG
1 = yes
2 = no
8 = N/A

NCAST73   N0   Child shows a change in level of motor activity
1 = yes
2 = no
8 = N/A

NCAST74   N0   Child shows potent disengagement cues during last feeding
1 = yes
2 = no
8 = N/A

NCAST75   N0   Child shows potent disengagement cues w/i five seconds

1 = yes
                                       2 = no
                                       8 = N/A

NCAST76   N0   Child avoids turning away from CG
                                       1 = yes
                                       2 = no
                                       8 = N/A

/* Data entry stops here - the remaining three boxes of data items on */
/* this page of the form are not keyed */